



Coupon Building

Table of Contents


Adding & Activating a Coupon Code.....	3
Search for a Coupon	3
Activate a Coupon.....	4
Add Coupon Code	4
Coupon Building Basics	5
Where to Build.....	5
Where to Activate.....	5
How to Activate	5
Conditions.....	6
Add a Coupon Code	6
Coupon Glossary	7
Coupon Types	7
Localized text	8
Discount Type	8
Checkboxes	9
Admin Notes	10
Equal or Lesser Value.....	10
Discount Box	10
Free Toppings	10
Discount Configuration Pricing Only.....	10
Order Conditions	11
Item Conditions	12
Condition Settings.....	12
Coupon.....	13
Buy X Get Y.....	13
Delivery Fee	14
Item Coupon	15
Multiple Item Coupon.....	16
Order Coupon	17
Spend Loyalty Rewards Coupon	18
Tiered Order Coupon	19

Adding & Activating a Coupon Code

In many cases the coupon that is requested already lives in our system. For these coupons, we may only need to add a coupon code and activate the coupon. In this event, we only need to complete the following steps: Search for the coupon, activate the coupon, add & activate the new code, and publish.

Search for a Coupon


- Open the Restaurants folder in the admin and find the location you want to add the coupon. (If this is at Root, then the Root menu works perfectly for this).
- Open that restaurant folder drop down, and you'll see Discounts as the third folder from the top:



- Click on Discounts – Note do not open the folder, but actually click on the word Discounts. This will open the following Search tool:



- Search for the Coupon Code first – you may get lucky and the coupon and code both may already exist, just needing activation ☺
- If coupon code does not produce the coupon you are looking for, search for the coupon name. This search uses exact spelling/spaces, etc. We recommend searching by the amount of the discount (ex: \$10 or 10% if the discount is \$10.00 off, or 10% off). This will weed out a lot of coupons and should display a more limited amount to make it easier to find the coupon you are looking for in the remaining selections.
- Once you find your coupon, click on the edit hyperlink under the edit column corresponding to your coupon. For example, if we were searching for a coupon of \$6 off an XL Specialty Pizza, we would click the edit button under the highlighted area:




Coupon	Discount Type	Stackable	AutoApply	Coupon Codes	Active	Edit	Delete
\$6 Off X-Lg Spec Pizza	DollarDiscount	False	False	Edit	☐	Edit	Delete
\$6 off Any XL Pizza	DollarDiscount	False	False	Edit	☐	Edit	Delete
\$6 Flatbread - Individual	BasePrice	False	False	Edit	☐	Edit	Delete

Activate a Coupon

The next step is activating the coupon, followed by activating the code. There are two separate active checkboxes you'll need to check, one on the coupon, one on the code.

Make sure to select "Active" on both the coupon and the code for the coupon to be active on the site.

- First, open the coupon at the generic or restaurant at which you would like to activate it (Restaurants -> Selected Restaurant -> Discounts -> Search for your coupon -> Click Edit).
- Once in the coupon, select the "Active" checkbox on the coupon, located below the localized text and discount type sections:




The screenshot shows a form with a 'Discount Type' dropdown set to 'DollarDiscount'. Below it are several checkboxes: 'Discount Non Base Price Options', 'Discount Toppings', 'Once Per Order', 'Stackable', 'Auto Apply', and 'Active'. The 'Active' checkbox is highlighted with a yellow background.

- Also in the Code section at the bottom of the page, select the "Active" box for the specific code(s) that you'd like to activate (If the code is already input on the coupon, if the coupon is not already inserted, follow along below on how to add a code).
- Click submit, then publish the restaurant in order to see your changes on the front end.

Add Coupon Code

At the bottom of the page you'll see a number of coupon codes. If this is a new code to be added, click the Add Coupon Code button at the very bottom of the page, above the Submit button:



The screenshot shows a text input field containing '1014A72'. Below it is the text 'Showing 1 to 17 of 17 entries'. Further down are two buttons: 'Add Coupon Code' and 'Submit'. A 'Delete' link is also visible.

The following fields are included on each code:

- **Code:** The code (letters and/or numbers) that the customer enters on the checkout page for redemption.
Note: Auto apply coupons will have to have a code inserted on this page as well, even though the customer will not have to enter a code.
- **Start Date:** The date on which the coupon code can start being used
- **End Date:** The first date on which the coupon code is invalid.
Note: The coupon will not be active on this date.
- **Number of Uses:** The number of times the code can be redeemed; you can also leave this blank if there will not be a limit on redemptions.
- **Usage Scope:** Tied to the above property; global means that the number of uses is the amount the code can be redeemed across all customers; customer means that the amount the code can be redeemed by an individual user.
- **Active:** Make sure the code itself is activated (in addition to activating the coupon) at the appropriate generics or restaurants.

Code	Start Date	End Date	Number of Uses	Usage Scope	Active
V53	5/25/2017	7/1/2017		Global	☐
C6N	10/30/2017	11/30/2017		Global	☐
				Global	☐

Click Submit, and Publish the coupon!

Coupon Building Basics

If a coupon does not exist in the system, a new coupon will have to be built.

Where to Build

All coupons should be built at root. This way, they will all live in one place and be available to be activated at every restaurant.

- Go to a site's admin and expand the Restaurants list.
- Expand the Root menu.
- Right-click on Discounts.
 - Helpful Hint: Before you create a brand new coupon, left-click on Discounts and search for the coupon. The coupon you need might already exist, so all you'll have to do is add a new coupon code. See page 3 for more details)
- Click Create New Discount.
- Select the type of coupon you'd like to create and click Submit.
- If a client is POS-integrated, they may or may not have a POS code associated with the coupon.

Where to Activate a Coupon

Everything trickles down.


- If you want your coupon to be active everywhere, awesome: activate it at root!
- If you're building a coupon for only a specific generic, build the coupon at root but do not activate it. Open up the generic for the location and activate the coupon at that generic. Just like menu items, activating a coupon at a generic means that it will also be active at all the restaurants that inherit from it.
- If you're building a coupon for a restaurant that does not have a generic, or only one/few restaurants within a generic, build it at root, but activate it at the individual restaurant(s).

How Activate a Coupon

The next step is activating the coupon, followed by activating the code. There are two separate active checkboxes you'll need to check, one on the coupon, one on the code.

Make sure to select "Active" on both the coupon and the code for the coupon to be active on the site.

- First, open the coupon at the generic or restaurant at which you would like to activate it (Restaurants -> Selected Restaurant -> Discounts -> Search for your coupon -> Click Edit).
- Once in the coupon, select the "Active" checkbox on the coupon, located below the localized text and discount type sections:

A screenshot of a web application interface for configuring a coupon. At the top, there is a 'Discount Type' dropdown menu with 'DollarDiscount' selected. Below this, there is a list of checkboxes for various discount options: 'Discount Non Base Price Options', 'Discount Toppings', 'Once Per Order', 'Stackable', and 'Auto Apply'. At the bottom of this list, the 'Active' checkbox is checked and highlighted with a yellow background.

- Also in the Code section at the bottom of the page, select the "Active" box for the specific code(s) that you'd like to activate (If the code is already input on the coupon, if the coupon is not already inserted, follow along below on how to add a code).
- Click submit, then publish the restaurant in order to see your changes on the front end.


Conditions

A condition within a coupon is an if/then statement.

- Unless you're building a coupon that is giving customers a discount without a requirement (ex: "10% off any order"), you will add a condition of some type to your coupon.
- The condition is the requirement that must be fulfilled before the customer will receive the discount (the "if").
- For example:
 - "\$5 off your \$25 order" coupon: *if* a customer spends \$25, *then* they can get \$5 off. This coupon requires a minimum subtotal order condition.
 - "Get a free small pizza": even though it sounds like the store is willing to give a small pizza with no *if* statement, there is an item condition involved (*if* a customer has a small pizza in their cart, *then* they can get that small pizza for free.)
- Conditions allow you to build almost any coupon you can imagine. The majority of coupons are pretty straightforward, but if wanted to, you could build a "Free large pizza when you buy a salad a minimum order of \$40 or more on Tuesdays between 2pm and 5pm" coupon.
- **One exception to this is on Multiple Item Coupons, we cannot limit/discount toppings. So a "Large 2 Topping Pizza and 6 Twists for \$25" coupon is not able to be created, as the toppings will not be restricted as intended.**

Add Coupon Code

At the bottom of the page you'll see a number of coupon codes. If this is a new code to be added, click the Add Coupon Code button at the very bottom of the page, above the Submit button:



The following fields are included on each code:

- **Code:** The code (letters and/or numbers) that the customer enters on the checkout page for redemption.
Note: Auto apply coupons will have to have a code inserted on this page as well, even though the customer will not have to enter a code.
- **Start Date:** The date on which the coupon code can start being used
- **End Date:** The first date on which the coupon code is invalid.
Note: The coupon will not be active on this date.
- **Number of Uses:** The number of times the code can be redeemed; you can also leave this blank if there will not be a limit on redemptions.
- **Usage Scope:** Tied to the above property; global means that the number of uses is the amount the code can be redeemed across all customers; customer means that the amount the code can be redeemed by an individual user.
- **Active:** Make sure the code itself is activated (in addition to activating the coupon) at the appropriate generics or restaurants.

Code	Start Date	End Date	Number of Uses	Usage Scope	Active
V53	5/25/2017	7/1/2017		Global ▼	☐
C6N	10/30/2017	11/30/2017		Global ▼	☐
				Global ▼	☐

Click Submit, and Publish the coupon!

Coupon Glossary

Below are some of the fields you will encounter when building a coupon.

Coupon Types

Buy X Get Y

The classic BOGO offer - used to build coupons for the customer to get a specific free or discounted item if their order includes another specific item.

Ex: Buy 1 Medium Pizza, Get One Free; Get a Free Dessert If You Purchase an Entrée; Buy 1 L/XL Pizza, Get 2nd Pizza Half Off

Delivery Fee

Discounts the delivery fee for an order.

Item Coupon

Used to discount the price of a specific menu item.

Ex: *50% Off a Large Sandwich; \$3 Off Any Appetizer; Free Twists with your order*

Multiple Item Coupon

Discounts the price of a collection of items when they are all purchased in the same order.

Ex: *Large Specialty, 6 Twists, and 2 Liter for only \$26.99*

Order Coupon

Used to discount an entire order.

Ex: *\$5 Off a \$25 Order; 10% Off Your Order; \$5 Off Your Order w/purchase of 6 wings*

Spend Loyalty Rewards Coupon

Use this to add codes for coupons that will be made available to customers based on their loyalty program.

Note: These coupons are extremely rare, and I don't believe there are any currently activated

Tiered Order Coupon

Gives a discount that progresses based on order size—multiple discounts can be added.

Note: These coupons are extremely rare, and I don't believe there are any currently activated

Ex: *20% Off \$50, 30% Off \$75 or 40% Off \$100*

Localized Text

- Title: The coupon title that the customer sees on their checkout screen after application.
- Description: Not visible to customers or mandatory to use, but a helpful place to save all of a coupon's specifics.
- Fine Print: Like the Description, this is not visible to customers or mandatory to use, but can be used to explain the coupon's usage & limits to administrators.

Localized Text

Properties
FinePrint
▶ Property Values
Title
▶ Property Values
Description
▶ Property Values
Disclaimer
▶ Property Values
Calories
▶ Property Values
Servings
▶ Property Values

Discount Type

Dollar Discount

\$X will be deducted from the order/item.

Percent Discount

X% will be deducted from the order/item.

Max Price

The total price of the discounted order/item will not exceed \$X.

Base Price

The base price (price before calculating the cost of any add-ons) of the discounted order/item will not exceed \$X.

Discount Type	DollarDiscount ▼
☐ Discount Non Base Price O	DollarDiscount
☐ Discount Toppings	PercentDiscount
☐ Once Per Order	MaxPrice
☐ Stackable	BasePrice
☐ Auto Apply	
☐ Active	

Check Boxes

DiscountNonBasePriceOptions

Applies the discount to the price of option items (that may have an upcharge) but not toppings in the calculation of the discount.

Ex. 10% off Hawaiian pizza w/pan crust (normally \$2-\$4). Customers must pay for additional toppings.

Discount Toppings

Includes the price of toppings in the calculation of the discount. This will discount all toppings, so it is an all or nothing checkbox. (Note: All premium toppings with an extra upcharge (non-Tier 1) will still have an upcharge when added)

Ex. \$10 CYO with unlimited toppings.

Once Per Order

Can only be used once per order. This checkbox is very popular – often a restaurant will not want a coupon applied multiple times on a single order.

Ex. Save \$3 when you buy a Large or XL Pizza. Only one coupon per order.

Stackable

Can be used with other discounts of the same type.

- Helpful Hint #1: Buy X Get Y coupons cannot be paired with any other coupons. If you only have two items in your cart for a buy x get y discount, a 2nd discount will not apply until a third item is added. As a result, the stackable property is fairly useless on these coupons.
- Helpful Hint #2: The stackable property only applies to other coupons of the same type. For example, if an Order Coupon and an Item Coupon are both active, you will be able to use both of them on the same order, even if neither one is marked as stackable.
- Helpful Hint #3: The max number of coupons that can be stacked depends on the settings. You can set the max number of coupon codes used per order in the store level in their restaurant properties, under Discount Settings.
To do this you will click on Restaurants -> find the location & open store properties
-> At bottom, open Discount Settings -> Add the Max User Entered Coupon Codes Per Order

Ex. Save an extra 20% off your order. Applicable with other discounts.

Auto Apply

Will automatically apply to an order if it meets the necessary coupon conditions order (instead of requiring the customer to enter the coupon code)

Ex. All pizzas \$10 on Tuesday.

Active

This activates the coupon, but make sure to activate the appropriate coupon code too.

- ☐ Discount Non Base Price Options
- ☐ Discount Toppings
- ☐ Once Per Order
- ☐ Stackable
- ☐ Auto Apply
- ☐ Active

Admin Notes

A backend area to add any helpful notes. (Rarely used, but can be helpful with complicated coupons)

Admin Notes	
-------------	-------------

Equal or Lesser Value

Select this box if the coupon should be applied to the less expensive of two items.
(Only available on Buy X Get Y coupons)

☐ Equal Or Lesser Value

Discount

Indicate the amount of the discount; \$10 and 10% would both be written as 10.00. If a coupon is dollars, this would indicate the dollars off the item. If it is Base Price or Max Price, it will indicate the total price of the coupon.

Discount	0.00
----------	-----------------

Free Toppings

When an Item Coupon is used on an item with a topping, how many can the customer add to their item for free? (Only available on Item Coupons)

Free Toppings	0
---------------	--------------

Discount Configuration Pricing Only

This ensures the discount applies to configured prices (such as an add-on option to a product, Ex: Add cheese to garlic bread for free!) rather than the whole product. (This is only available on Item Coupons)

☐ Discount Configuration Pricing Only

Order Conditions

Advance Order Condition

When the order is placed as an advance order (As opposed to an ASAP order)

Coupon Ex: 15% all advanced orders (Condition: Advanced orders)

Day Of Week Order Condition

For coupons valid on specific days of the week.

Coupon Ex: 15% off on Tuesdays (Condition: Day of Week – Tuesday)

Fulfillment Date Order Condition

For a coupon active for specific dates (Note: These can be controlled easier via the codes).

Coupon Ex: 15% off from January 1st - January 5th (Condition: Fulfillment Date – 1/1/2018 – 1/5/2018)

Fulfillment Type Order Condition

This is for coupons that are for only Dine In, Take Out, or Delivery.

Coupon Ex: 15% off Delivery Only (Condition: Fulfillment Type - Delivery)

Menu Type Order Condition

Coupon is valid only on orders from the To Go menu or only from the Catering menu. (Note: The site will have to have two separate menus active for this coupon to be applicable)

Coupon Ex: 15% off Catering (Condition: Menu Type – Catering)

Minimum Number Fed Order Condition

If the order is placed for X amount of people (Note: Number fed would have to be applied on items for this condition to be applicable)

Coupon Ex: 15% off orders for 10 or more people (Condition: Minimum Number Fed – 10)

Minimum Subtotal Order Condition

If the total equals or exceeds a certain dollar amount

Coupon Ex: 15% off orders of \$25 or more (Condition: Minimum Subtotal - \$25)

Order Condition Grouping

You can combine two or more conditions that you've already built

Coupon Ex: 15% off orders on Tuesdays that are \$25 or more (Condition: Group – Min Sub \$25 on Tuesdays)

Order Contains Item Order Condition

Mainly used with Order Coupons when a product is required to receive the discount on the order. (Note: An Item Condition will need to be used/built)

Coupon Ex: 15% off your order when you buy a Large Pizza (Condition: Order Contains – Large Pizza)

Order Method Order Condition

Discount on orders placed via mobile, via desktop, or via app (where applicable)

Coupon Ex: 15% off mobile orders (Condition: Order Method – Mobile)

Restaurant Order Condition

The coupon only applies to certain locations (Note, this is almost never used, due to activating the coupon at those locations instead)

Coupon Ex: 15% off at store numbers 9998 and 9999 (Condition: Restaurant – 9998, 9999)

Time of Day Order Condition

Allows the coupon to be applicable for certain time periods during the day

Coupon Ex: 15% off between 11:00am and 2:30pm (Condition: Time of Day – 11:00am – 2:30pm)

Item Conditions

Item Condition Grouping

Like order condition grouping, you can combine two or more item conditions that you've already built and save them as one condition.

Coupon Ex: 15% off Large & XL Pizzas (Condition: Group - Pizza – All Large & XL)

Item in Category Item Condition

This will discount all items within a category

Coupon Ex: 15% off Appetizers (Condition: Category - Appetizers – All)

Option Item Selected Item Condition

This allows you to select a single option item. You first select one option and then are able to select one of its option items to create the condition.

Coupon Ex: 15% off Diet Coke 2 Liters (Condition: Option Item – 2 Liter - Diet Coke)

Option Option Item Selected Item Condition

This condition allows you to select multiple option items. This is by far the most used item condition, as you are able to use this to complete most requests

Coupon Ex. 15% off all Large Specialty pizzas. (Condition: Pizza – Specialty – All Large)

Specific Food Type Item Condition

Not all sites use this designation on products, but some examples of the labels include Entrées, Desserts, Appetizers, etc. Where this would be of use, is when you are attempting to discount a type of product that may be spread across multiple categories. For example, if you have Pizzas, Subs, and Salads in three different categories on the menu, but want to discount all Entrées.

(Like the minimum number fed order condition, this property must be used on the products for it to be applicable)

Coupon Ex. 15% off all Entrées. (Condition: Food Type – Entrées)

Specific Menu Item Condition

Use this when wanting to discount a product.

Coupon Ex. 15% off Meatball Subs. (Condition: Product – Meatball Subs)

Condition Settings

When you are creating new item or order condition, these settings are available on some conditions:

Inverse

The condition will apply to all items (or all instances) except those selected.

Any/All/None

This is in a drop down only on grouping conditions. It signifies if all, any, or none of the conditions must be true in order for the discount to apply.

Coupons:

Buy X Get Y

Used to build promos in which the customer gets a specific free or discounted item if their order includes another specific item (Buy 1 Medium Pizza, Get One 50% Off; Get a Free Dessert If You Purchase an Entrée). This discount cannot be paired with any other discounts.

Order Condition

If the order requires a minimum subtotal, day of the week, or any condition of this type, then an order condition would be used. This is the same with all coupons for the order condition field.

Prerequisite Conditions:

The item that must be in your cart in order to take advantage of this deal – the “Buy X”

Discounted Item Condition:

The item that will be discounted or free – the “Get Y”

Discounted Max Item Quantity:

The amount of the discounted item in your cart that is eligible to receive the discount.

Example: Round Table Pizza: 6 Free Wings w/pur of L or XL Specialty Pizza:

Discount Type: PercentDiscount

☐ Discount Non Base Price Options
☐ Discount Toppings
☒ Once Per Order
☐ Stackable
☐ Auto Apply
☒ Active

Priority:

Admin Notes:

☐ Equal Or Lesser Value

Discount:

Order Condition: No Order Condition

[Edit/New Order Condition](#)

Prerequisite Conditions

☐ Select All

- ☐ 2 Liter Bottle - 2/24
- ☐ 2L & CVO Large 1-Top
- ☐ 2L Bottle - All - 2/24
- ☐ 2L Mountain Dew
- ☐ 3 Twists - All - 2/23
- ☐ 6 Twists - All - 2 Liter 2/24
- ☐ 6 Wings, Twists and Family Salads
- ☐ All - Flatbreads
- ☐ All Large Specialty + CVO 1 Top
- ☐ Any Large Specialty or CVO Up to 3 Toppings

☒ Pizza - Specialty Large & XLarge - 2/24 (Remove)

Discounted Item Condition: App - 6 Wings All - 2/24

Discounted Item Max Quantity:

[Edit/New Item Condition](#)

Code	Start Date	End Date	Number of Uses	Usage Scope	Active	Search:
DR7	6/1/2017	2/28/2018			Global	☐

Delivery Fee Coupon

Discounts the delivery fee of an order. This coupon is unique because the discount type does not need to be set, as the entire delivery fee will be discounted when the order condition is met.

Order Condition

If the order requires a minimum subtotal, day of the week, or any condition of this type, then an order condition would be used. This is the same with all coupons for the order condition field.

Example: Round Table Pizza: Free Delivery

Discount Type

PercentDiscount ▼

☐ Discount Non Base Price Options

☐ Discount Toppings

☐ Once Per Order

☐ Stackable

☐ Auto Apply

☐ Active

Priority

60

Admin Notes

Order Condition

Delivery Only (Default) ▼

Edit/New Order Condition

Search

Item Coupon

Discount the price of a specific menu item (50% Off a Large Sandwich; \$3 Off Any Appetizer; Free Twists with \$20 purchase)

Order Condition

If the order requires a minimum subtotal, day of the week, or any condition of this type, then an order condition would be used. This is the same with all coupons for the order condition field.

Item Condition

For the item coupon, this would be the item that is being discounted. This is where you would select that item condition to be discounted.

Discountable Option Selection Condition

Only relevant if a certain option item must be selected as part of the discounted item – that being said, a lot of times we will input the item condition in both the Item Condition and Discountable Option Selection Condition to be safe, but most of the time the Discountable Option Selection Condition is not needed.

Example: Round Table Pizza: \$6 Off Any Large Specialty Pizza

Discount Type: DollarDiscount

☐ Discount Item Base Price Options
☐ Discount Toppings
☒ Once Per Order
☐ Stackable
☐ Auto Apply
☒ Active

Priority:

Admin Notes:

Discount:

Free Toppings:

☐ Discount Configuration Pricing Only

Order Condition: No Order Condition

[Add/View Order Conditions](#)

Item Condition: Spec Pizza - All Large - NO CYOP - 2/24

[Add/View Item Conditions](#)

Discountable Option Selection Condition: Spec Pizza - All Large - NO CYOP - 2/24

[Add/View Discountable Option Selection Conditions](#)

Code	Start Date	End Date	Number of Uses	Usage Scope	Active	
330A52	12/29/2016	8/1/2017				Global ▼ ()
330A58						Global ▼ ()
330A76	6/28/2017	2/1/2018				Global ▼ ()
1103442	8/1/2017	2/1/2018				Global ▼ ()
330A29	12/29/2017	8/1/2018				Global ▼ ()
Gallstar	7/13/2018	7/14/2018				Global ▼ <input checked="" type="button" value="x"/>

Multiple Item Coupon

Discounts the price of menu items when they are purchased together. When creating this coupon, all required items must be selected under item conditions. The quantity of each item condition must be a minimum of 1. If the required amount of an item is 2, then the quantity should be 2, and so on.

Order Condition

If the order requires a minimum subtotal, day of the week, or any condition of this type, then an order condition would be used. This is the same with all coupons for the order condition field.

Item Condition

For the multiple item coupon, this would be the items that are being discounted. This is where you would select that item conditions to be discounted. As you can see below, you can choose more than one condition, as well as indicate the quantity required of each item. The quantity of each item condition must be a minimum of 1. If the required amount of an item is 2, then the quantity should be 2, and so on.

Example: Round Table Pizza - Large 1-Topping Pizza and 6 Twists \$19.99

Discount Type

Base Price

☒ Discount Non Base Price Options

☐ Discount Toppings

☐ Once Per Order

☐ Stackable

☐ Auto Apply

☐ Active

Priority

10

Admin Notes

Discount

19.99

Order Condition

No Order Condition

Edit/New Order Condition

Item Conditions

Conditions

Select All

☐ 2 Liter Bottle - 2/24

☐ 2L & CVO Large 1-Top

☐ 2L Bottle - All - 2/24

☐ 2L Mountain Dew

☐ 3 Twists - All - 2/23

☐ 6 Twists - All - 2 Liter 2/24

☐ 6 Wings, Twists and Family Salads

☐ All - Flatbreads

☐ All Large Specialty + CVO 1 Top

☐ Any Large Specialty or CVO Up to 3 Toppings

☒ Large 1 Topping - 2/24 (Remove)

Quantity

1

☒ Twists - 6 Garlic (Remove)

Quantity

1

Edit/New Item Condition

Code

TwistedDeal

Start Date

6/6/2012

End Date

12/31/2013

Number of Uses

Usage Scope

Global

Active

☐

690R23

2/28/2013

10/31/2013

Global

☐

Order Coupon

Use this coupon if the discount is applied to the whole order (\$5 off a \$25 order; 10% off your order; \$5 off your order if it includes an appetizer)

Order Condition

If the order requires a minimum subtotal, day of the week, or any condition of this type, then an order condition would be used. This is the same with all coupons for the order condition field. (In the below example, the Delivery Only condition is used)

Example: Round Table Pizza - \$15% OFF Entire Meal (Delivery Only)

Discount TypePercentDiscount

Discount Non Base Price Options

Discount Toppings

Once Per Order

Stackable

Auto Apply

Active

Priority40

Admin Notes

Discount15.00

Max Discount

Order ConditionDelivery Only (Default)

Edit/New Order Condition

Search:

Code	Start Date	End Date	Number of Uses	Usage Scope	
V7P				Global	
A2V				Global	
VE6	8/17/2015	9/30/2015		Global	
DR2	3/27/2017	7/2/2017		Global	
A1Tvoid	4/25/2017	7/6/2017		Global	
A7A	7/24/2017	10/1/2017		Global	

Spend Loyalty Rewards Coupon

If a client would like to reward customers for loyalty, they can offer rewards based on online ordering usage. This coupon type is not currently used at this time.

- The coupon is created to specify loyalty coupon codes, but not loyalty discounts.
- These coupons are created to pass loyalty redemptions such as rewards dollars. The discount does not need to be specified by Onosys.
- Additional rewards coupons can be created in the form of regular discounts. (Item Coupon, Order Coupon, Multiple Item Coupon, etc.)

Tiered Order Coupon

Use this if you'd like to give a discount that progresses based on order size—multiple discounts can be added (20% Off \$50 or 30% Off \$75 or 40% Off \$100). For each discount, the “Add Discount” button must be selected. Then specify the order condition (if) and discount (then). Like the Spend Loyalty Rewards Coupon, this coupon type is not currently used at this time.